


Minimum Hearth Size



A	100	200	300	400	500	600	700
B	700	680	640	585	500	380	300

All Measurements in mm

Minimum Hearth Thickness




The Australian Requirements for a hearth on a combustible floor are as follows:

- A minimum of 10mm Compressed Fibre Cement Sheeting and,
- A minimum of 5mm non-combustible topping (e.g. Tiles, stone, bricks, etc.)


Minimum Wall Clearance

Square



A	B	C	D	E	F
1150	700	700	770	490	189

Corner



G	H
700	1564

All Measurements in mm